

QRDA Guide for eCW Users

Table of Contents

Documenting Blood Pressure	2
Documenting Diabetes A1c	2
Documenting Depression Screening	3
Running Reports	6
Fees	6
Customer Service	6

Documenting Blood Pressure

Information below indicates where to document BP so that it pulls into the QRDA file properly. Full document from eCW that outlines documentation location for exclusion criteria and other variables available upon request.

Numerator Criteria	Area to Document within eClinicalWorks
<p>Their most recent systolic and diastolic blood pressure readings are documented on the same day during the measurement period and meet the following criteria:</p> <ul style="list-style-type: none"> ■ diastolic is < 90 mmHg ■ systolic is < 140 mmHg 	<p>Progress Notes > Vitals</p>

Documenting Diabetes A1c

Information below indicates where to document A1c so that it pulls into the QRDA file properly. Full document from eCW that outlines documentation location for exclusion criteria and other variables available upon request.

Numerator Criteria	Area to Document within eClinicalWorks
<p>Their most recent HbA1c level (performed during the measurement period) is > 9.0%</p>	<p>Record this information from at least ONE of the following paths:</p> <ul style="list-style-type: none"> ■ Progress Notes > Labs ■ Progress Notes > Treatment > Labs <p>IMPORTANT! To satisfy this numerator criterion, the following conditions must be met:</p> <ul style="list-style-type: none"> ■ A result > 9.0% must be entered in the HbA1c section of the yellow grid ■ A date within the measurement period must be recorded in the <i>Collection Date</i> field

Numerator Criteria	Area to Document within eClinicalWorks
<p>Their most recent HbA1c lab has been performed during the measurement period but the results have NOT been received or recorded during the measurement period</p>	<p>Record this information from at least ONE of the following paths:</p> <ul style="list-style-type: none"> ■ Progress Notes > Labs ■ Progress Notes > Treatment > Labs <p>IMPORTANT! To satisfy this numerator criterion, the following conditions must be met:</p> <ul style="list-style-type: none"> ■ A result is NOT entered in the HbA1c section of the yellow grid ■ A date within the measurement period must be recorded in the <i>Collection Date</i> field
<p>They have NOT had an HbA1c lab test performed during the measurement period</p>	<p>Patients are NOT included in the numerator if an HbA1c lab test is recorded from any of the following paths:</p> <ul style="list-style-type: none"> ■ Progress Notes > Labs ■ Progress Notes > Treatment > Labs <p>IMPORTANT! A canceled lab order does NOT satisfy this numerator criterion.</p> <p>IMPORTANT! Labs without a documented specimen collection date are considered ordered, but not performed.</p>

Documenting Depression Screening

Information below indicates options for where to document depression screening so that it pulls into the QRDA file properly. Full document from eCW that outlines documentation location for exclusion criteria and other variables available upon request.

Numerator Criteria	Area to Document within eClinicalWorks
<p>Indicate a negative result for the most recent depression screening using ONE of the following methods during a depression screening encounter or 14 days prior to the depression screening encounter in the measurement period:</p>	
<ul style="list-style-type: none"> ■ Record a depression screening with a negative result as structured data for one of the following: <ul style="list-style-type: none"> ■ Adolescent depression screening ■ Adult depression screening 	<p>Record this information from the following path:</p> <ul style="list-style-type: none"> ■ Progress Notes > HPI > Depression Screening > Intervention > Q: Depression Screening Findings <ul style="list-style-type: none"> ◆ O1: <i>Negative</i> <p>IMPORTANT! According to the CMS guidance for this measure, it is required that: The name of the age-appropriate standardized depression screening tool utilized must be documented in the medical record. eClinicalWorks recommends ensuring that the tool is documented within the medical record in addition to the screening findings if utilizing the following structured data path: <i>HPI > Depression Screening > Intervention > Depression Screening Findings > Negative/Positive.</i></p>

Numerator Criteria	Area to Document within eClinicalWorks
<ul style="list-style-type: none"> ■ Record a depression screening with a negative result as structured data in a smart form for one of the following: <ul style="list-style-type: none"> ■ Adolescent depression screening ■ Adult depression screening 	<p>Record this information from at least ONE of the following sets of criteria:</p> <ul style="list-style-type: none"> ■ A total score of 0 - 2 for either one question or both questions combined: <ul style="list-style-type: none"> ◆ Progress Notes > <i>SF</i> drop-down list > PHQ-2 (2015 Edition) > Q1: Little interest or pleasure in doing things ◆ Progress Notes > <i>SF</i> drop-down list > PHQ-2 (2015 Edition) > Q2: Feeling down, depressed, or hopeless ■ Progress Notes > <i>SF</i> drop-down list > PHQ-9 > Total Score 0-9 = Negative ■ Progress Notes > <i>SF</i> drop-down list > PHQ-9 > Q: Interpretation <ul style="list-style-type: none"> ◆ <i>Minimal</i> = 1-4 ◆ <i>Mild depression</i> = 5-9 <p>IMPORTANT! On the PHQ-2 (2015 Edition) Smart Form, patients are considered to be negative for depression if a sum total score of 0 - 2 is recorded for either one question or both questions combined. No intervention is required to satisfy the numerator if a patient is considered to be negative for depression.</p>

Numerator Criteria	Area to Document within eClinicalWorks
<p>Indicate a positive result for the most recent depression screening using ONE of the following methods during a depression screening encounter or 14 days prior to the depression screening encounter in the measurement period:</p>	
<ul style="list-style-type: none"> ■ Record a depression screening with a positive result as structured data in a smart form for one of the following: <ul style="list-style-type: none"> ■ Adolescent depression screening: ■ Adult depression screening: 	<p>Record this information from at least ONE of the following sets of criteria:</p> <ul style="list-style-type: none"> ■ A total score of ≥ 3 for either one question or both questions combined: <ul style="list-style-type: none"> ◆ Progress Notes > SF drop-down list > PHQ-2 (2015 Edition) > Q1: Little interest or pleasure in doing things ◆ Progress Notes > SF drop-down list > PHQ-2 (2015 Edition) > Q2: Feeling down, depressed, or hopeless ■ Progress Notes > SF drop-down list > PHQ-9 > Total Score ≥ 10 = Positive ■ Progress Notes > SF drop-down list > PHQ-9 > Q: Interpretation <ul style="list-style-type: none"> ◆ <i>Moderate</i> = 10-14 ◆ <i>Moderately Severe</i> = 15-19 ◆ <i>Severe</i> = 20-27 <p>IMPORTANT! On the PHQ-2 (2015 Edition) Smart Form, patients are considered to be positive for depression if a sum total score of ≥ 3 is recorded for either one question or both questions combined.</p> <p>An intervention is required to satisfy the numerator if a patient is considered to be positive for depression.</p>

Numerator Criteria	Area to Document within eClinicalWorks
<ul style="list-style-type: none"> ■ Record a depression screening with a positive result as structured data for one of the following: <ul style="list-style-type: none"> ■ Adolescent depression screening: ■ Adult depression screening: 	<p>Record this information from the following paths:</p> <ul style="list-style-type: none"> ■ Progress Notes > HPI > Depression Screening > Intervention > Q: Depression Screening Findings <ul style="list-style-type: none"> ◆ O1: <i>Positive</i> <p>IMPORTANT! According to the CMS guidance for this measure, it is required that: The name of the age-appropriate standardized depression screening tool utilized must be documented in the medical record. eClinicalWorks recommends ensuring that the tool is documented within the medical record in addition to the screening findings if utilizing the following structured data path: <i>HPI > Depression Screening > Intervention > Depression Screening Findings > Negative/Positive.</i></p>
<p>If the most recent depression screening was positive, document at least ONE of the following on the same date of, or up to two days after the date of, the positive depression screening encounter:</p>	
<ul style="list-style-type: none"> ■ They have had a follow-up for depression recorded as structured data 	<p>Record this information from the following path:</p> <ul style="list-style-type: none"> ■ Progress Notes > HPI > Depression Screening > Intervention > Q: Follow-up evaluation for depression <ul style="list-style-type: none"> ◆ Enter any of the options in the section titled <i>Follow-Up Evaluation for Depression Structured Data Options</i>
Numerator Criteria	Area to Document within eClinicalWorks
<ul style="list-style-type: none"> ■ They have had a referral to a depression specialist ordered for one of the following: <ul style="list-style-type: none"> ■ Adolescent depression referral: ■ Adult depression referral: 	<p>Progress Notes > Treatment > Outgoing Referral > Specialty</p>
<ul style="list-style-type: none"> ■ They have had a depression medication ordered for one of the following: <ul style="list-style-type: none"> ■ Adolescent depression referral: ■ Adult depression referral: 	<p>Record this information from at least ONE of the following paths:</p> <ul style="list-style-type: none"> ■ Progress Notes > Treatment > Add > <i>Start or Refill</i> status for a depression medication ■ Telephone/Web Encounter > Rx tab > Select Rx > <i>Start or Refill</i> status for a depression medication ■ Telephone/Web Encounter > Virtual Visit tab > Treatment > Add > <i>Start or Refill</i> status for a depression medication

Running Reports

Running and exporting QRDA files requires Product Activation. Full document including details on how to activate QRDA and run all available QRDA reports is included at the end of this document.

Fees

Annual Fee for running unlimited reports: \$350. Year calculated April 1 – March 31.

Customer Service

Contact your eCW Representative

Jigar.Savla@eclinicalworks.com

parth.trivedi@eclinicalworks.com

siddharth.john@eclinicalworks.com

Vishwaved.Nagar@eclinicalworks.com

nishit.thakran@eclinicalworks.com